

Dr. med. Wolfgang Reinpold

Veröffentlichungen und wissenschaftliche Studien:

Reply to Letter: "Nerve Management and Chronic Pain After Open Inguinal Hernia Repair"
Reinpold W.

Ann Surg. 2014 Jan 16. [Epub ahead of print]

Guidelines for laparoscopic treatment of ventral and incisional abdominal wall hernias
(International Endohernia Society [IEHS])-Part II.

Bittner R, Bingener-Casey J, Dietz U, Fabian M, Ferzli GS, Fortelny RH, Köckerling F, Kukleta J, Leblanc K, Lomanto D, Misra MC, Morales-Conde S, Ramshaw B, **Reinpold W**, Rim S, Rohr M, Schrittwieser R, Simon T, Smietanski M, Stechemesser B, Timoney M, Chowbey P. Surg Endosc. 2013 Nov 14.

Guidelines for laparoscopic treatment of ventral and incisional abdominal wall hernias
(International Endohernia Society (IEHS)-part 1.

Bittner R, Bingener-Casey J, Dietz U, Fabian M, Ferzli GS, Fortelny RH, Köckerling F, Kukleta J, Leblanc K, Lomanto D, Misra MC, Bansal VK, Morales-Conde S, Ramshaw B, **Reinpold W**, Rim S, Rohr M, Schrittwieser R, Simon T, Smietanski M, Stechemesser B, Timoney M, Chowbey P; International Endohernia Society (IEHS). Surg Endosc. 2014 Jan;28(1):2-29.

Guidelines for laparoscopic treatment of ventral and incisional abdominal wall hernias
(International Endohernia Society [IEHS])-Part III.

Bittner R, Bingener-Casey J, Dietz U, Fabian M, Ferzli G, Fortelny R, Köckerling F, Kukleta J, Leblanc K, Lomanto D, Misra M, Morales-Conde S, Ramshaw B, **Reinpold W**, Rim S, Rohr M, Schrittwieser R, Simon T, Smietanski M, Stechemesser B, Timoney M, Chowbey P. Surg Endosc. 2014 Feb;28(2):380-404.

Invited commentary: Persistent pain after inguinal hernia repair: what do we know and what do we need to know?

Kehlet H, Roumen RM, **Reinpold W**, Miserez M.

Hernia. 2013 Jun;17(3):293-7. doi: 10.1007/s10029-013-1109-4. Epub 2013 May

No abstract available.

Neue Techniken in der Narben- und Bauchwandhernienchirurgie: Minimalinvasive extraperitoneale Kunststoffnetzeinlage **Reinbold WM**. Chirurgische Allgemeine Zeitung 2013;(6)

Laparoscopic transperitoneal sublay mesh repair: a new technique for the cure of ventral and incisional hernias.

Schroeder AD, Debus ES, Schroeder M, **Reinbold WM**.

Surg Endosc. 2013 Feb;27(2):648-54. doi: 10.1007/s00464-012-2508-9. Epub 2012 Sep 6.

Guidelines for laparoscopic (TAPP) and endoscopic (TEP) treatment of inguinal hernia [International Endohernia Society (IEHS)].

Bittner R, Arregui ME, Bisgaard T, Dudai M, Ferzli GS, Fitzgibbons RJ, Fortelny RH, Klinge U, Kockerling F, Kuhry E, Kukleta J, Lomanto D, Misra MC, Montgomery A, Morales-Conde S, **Reinbold W**, Rosenberg J, Sauerland S, Schug-Pass C, Singh K, Timoney M, Weyhe D, Chowbey P.

Surg Endosc. 2011 Sep;25(9):2773-843.

Nerve management and chronic pain after open inguinal hernia repair: a prospective two phase study.

Reinbold WM, Nehls J, Eggert A.

Ann Surg. 2011 Jul;254(1):163-8.

Schmerzen nach Hernien-Operationen. **Reinbold WM**; Hamburger Ärzteblatt 2009(1): 21-25

Endoguide Reinbek—a device for trocarless insertion of instruments in endoscopic surgery].

Eggert A, **Reinbold W**.

Langenbecks Arch Chir. 1996;381(1):34-7. German.

[Repair of inguinal hernia—a determination of the current status].

Eggert A, **Reinbold W**.

Zentralbl Chir. 1994;119(9):649-52. Review. German.

[Differential diagnostic errors of a tumor situated between the spleen and pancreas].

Saeger W, Klöppel G, Katenkamp D, Dworak O, **Reinbold W**.

Participating center of The AWARE trial:

Watchful waiting versus operation in asymptomatic or minimal symptomatic incisional hernias – a prospective randomized multicenter trial. Trial coordinator C. Lauscher, University Hospital Charité, Berlin

Anatomical trail: retroperitoneal anatomy of the inguinal lumbar plexus nerves – a study on 30 fixed corpses. **Reinbold W et al**. In preparation.

Prospective quasi randomized trial: Chronic pain after Lichtenstein and TAPP with standard and low weight Polypropylen mesh (medium follow-up 38 months). **Reinpold W et al.** In preparation

Mini-open Sublay repair of incisional hernias a prospective matched pair analysis of 300
own
cases with open sublay repair and laparoscopic IPOM repair cases of the German Hernia Registry. **Reinpold W et al.** In preparation.

Lichtenstein repair with a self adhesive mesh – a prospective case control study.
Reinpold W et al. In preparation.

Posterior component separation and open sublay mesh repair – a new concept for the cure
of
large ventral hernias. **Reinpold W et al.**